



Technical Data


TECHNICAL DATA



Disegni dimensioni lavastoviglie

Dimension drawings for dishwashers | Dessins des dimensions des lave-vaisselle

Установочные чертежи с габаритными размерами



T3520 H27E




230V+T 2,79kW
L=2050 (SCHUKO)



G 3/4" M
L=1500



Ø25x30
L=1700



T3527 H25E




230V+T 2,79kW
L=2050 (SCHUKO)



G 3/4" M
L=1500



Ø25x30
L=1700



S205E




230V+T 2,79kW
L=2050 (SCHUKO)



G 3/4" M
L=2000



Ø25x30
L=1700



T4026 H28E E28E




230V+T 2,79kW
L=2000 (SCHUKO)



G 3/4" M
L=1450



Ø25x30
L=1650



ST28E




230V+T 2,79kW
L=2000 (SCHUKO)



G 3/4" M
L=1450



Ø25x30
L=1650



T4032H H29EH E29EH



230V+T 2,79kW
L=2000 (SCHUKO)



G 3/4" M
L=1450




Ø25x30
L=1650

TECHNICAL DATA

Disegni dimensioni lavastoviglie

Dimension drawings for dishwashers | Dessins des dimensions des lave-vaisselle


Установочные чертежи с габаритными размерами



Disegni dimensioni lavastoviglie

Dimension drawings for dishwashers | Dessins des dimensions des lave-vaisselle

Установочные чертежи с габаритными размерами



T5037T H56E E56E ST56E




400V3N+T 5,02kW
L=1900 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1500



H58E E58E ST58E




400V3N+T 6,29kW
L=1900 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1500



T110 H110E E110E ST110E




400V3N+T 6,52kW
L=1950 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1550



T120 H120E E120E ST120E




400V3N+T 7,04kW
L=1950 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1550



H150E E150E




400V3N+T 7,04kW
L=1950 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1550



H160E E160E



400V3N+T 11,00kW
L=1850 (5 POLES)









G 3/4" M
L=1150



Ø25x30
L=1550


Dimension drawings for dishwashers | Dessins des dimensions des lave-vaisselle
Установочные чертежи с габаритными размерами



Disegni dimensioni lavastoviglie

Dimension drawings for dishwashers | Dessins des dimensions des lave-vaisselle

Установочные чертежи с габаритными размерами



E991E




400V3N+T 13,00kW
L=1950 (5 POLES)



G 3/4" M
L=1200



Ø30x40
L=1800



E110TH




400V3N+T 6,52kW
L=1950 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1550



E120E




400V3N+T 7,04kW
L=1950 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1550



TH28E TE28E TST28E




400V3N+T 4,69kW
L=2000 (5 POLES)



G 3/4" M
L=1450



Ø25x30
L=1650



TH29E TE29E TST29E




400V3N+T 4,76kW
L=2000 (5 POLES)



G 3/4" M
L=1450



Ø25x30
L=1650



TH56E TE56E TST56E TEST56E



400V3N+T 5,02kW
L=2000 (5 POLES)



G 3/4" M
L=1200



Ø25x30
L=1500

TECHNICAL DATA

Lavastoviglie a cesto trainato

Rack conveyor dishwashers | Lave-vaisselle avec panier à traction

Тоннельные посудомоечные машины

| | | | |
|---|--|---|--|
| | | | |
| SL1000EDX 400V3N+T 21,70kW (CABLE NOT PROVIDED) G 3/4" M 55°C L=1500 Ø1"1/2 M L=1500 | | SL1000ESX 400V3N+T 21,70kW (CABLE NOT PROVIDED) G 3/4" M 55°C L=1500 Ø1"1/2 M L=1500 | |
| | | | |
| SL1100EDX 400V3N+T 24,40kW (CABLE NOT PROVIDED) G 3/4" M B: 55°C B1: 10°C L=1500" Ø1"1/2 M L=1500 | | SL1100ESX 400V3N+T 24,40kW (CABLE NOT PROVIDED) G 3/4" M B: 55°C B1: 10°C L=1500 Ø1"1/2 M L=1500 | |
| | | | |
| SL1200ESX 400V3N+T 24,20kW (CABLE NOT PROVIDED) G 3/4" M 55°C L=1500 A: Ø1"1/2 M A1: Ø31 M L=1500 | | SL1200EDX 400V3N+T 24,20kW (CABLE NOT PROVIDED) G 3/4" M 55°C L=1500 A: Ø1"1/2 M A1: Ø31 M L=1500 | |

Lavastoviglie a cesto trainato

Rack conveyor dishwashers | Lave-vaisselle avec panier à traction

Тоннельные посудомоечные машины





| | | | |
|--|--|--|--|
| | | | |
| SL1300ESX 400V3N+T 30,90kW (CABLE NOT PROVIDED) G 3/4" M B: 55°C B1: 10°C L=1500 A: Ø1"1/2 M A1: Ø31M L=1500 | | SL1300EDX 400V3N+T 30,90kW (CABLE NOT PROVIDED) G 3/4" M B: 55°C B1: 10°C L=1500 A: Ø1"1/2 M A1: Ø31M L=1500 | |
| | | | |
| SL2000EDX 400V3N+T 22,10kW (CABLE NOT PROVIDED) G 3/4" M 55°C L=1500 Ø1"1/2 M L=1500 | | SL2000ESX 400V3N+T 22,10kW (CABLE NOT PROVIDED) G 3/4" M 55°C L=1500 Ø1"1/2 M L=1500 | |
| | | | |
| SL2100EDX 400V3N+T 24,80kW (CABLE NOT PROVIDED) G 3/4" M B: 55°C B1: 10°C L=1500 Ø1"1/2 M L=1500 | | SL2100ESX 400V3N+T 24,80kW (CABLE NOT PROVIDED) G 3/4" M B: 55°C B1: 10°C L=1500 Ø1"1/2 M L=1500 | |

TECHNICAL DATA

Lavastoviglie a cesto trainato

Rack conveyor dishwashers | Lave-vaisselle avec panier à traction

Тоннельные посудомоечные машины



SL2200EDX



400V3N+T 28,60kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500

SL2200ESX







400V3N+T 28,60kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500



SL2300EDX



400V3N+T 31,30kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500

SL2300ESX







400V3N+T 31,30kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500



SL3000EDX



400V3N+T 23,20kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



Ø1"1/2 M
L=1500

SL3000ESX



400V3N+T 23,20kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500







Ø1"1/2 M
L=1500

Lavastoviglie a cesto trainato

Rack conveyor dishwashers | Lave-vaisselle avec panier à traction

Тоннельные посудомоечные машины



SL3100EDX



400V3N+T 25,90kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



Ø1"1/2 M
L=1500

SL3100ESX







400V3N+T 25,90kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



Ø1"1/2 M
L=1500



SL3200EDX



400V3N+T 29,70kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500

SL3200ESX







400V3N+T 29,70kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500



SL3300EDX



400V3N+T 32,40kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500

SL3300ESX



400V3N+T 32,40kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500







A: Ø1"1/2 M
A1: Ø31 M
L=1500

TECHNICAL DATA

Lavastoviglie a cesto trainato

Rack conveyor dishwashers | Lave-vaisselle avec panier à traction

Тоннельные посудомоечные машины



SL4000EDX



400V3N+T 33,10kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



Ø1"1/2 M
L=1500

SL4000ESX







400V3N+T 33,10kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



Ø1"1/2 M
L=1500



SL4100EDX



400V3N+T 26,30kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



Ø1"1/2 M
L=1500

SL4100ESX







400V3N+T 26,30kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



Ø1"1/2 M
L=1500



SL4200EDX



400V3N+T 30,10kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500

SL4200ESX



400V3N+T 30,10kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500







A: Ø1"1/2 M
A1: Ø31 M
L=1500

Lavastoviglie a cesto trainato

Rack conveyor dishwashers | Lave-vaisselle avec panier à traction

Тоннельные посудомоечные машины



SL4300EDX



400V3N+T 32,80kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500

SL4300ESX







400V3N+T 32,80kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



A: Ø1"1/2 M
A1: Ø31 M
L=1500



SL5300EDX



400V3N+T 40,59kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



Ø1"1/2 M
L=1500

SL5300ESX







400V3N+T 40,59kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



Ø1"1/2 M
L=1500



SL6300EDX



400V3N+T 43,49kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



Ø1"1/2 M
L=1500

SL6300ESX



400V3N+T 43,49kW
(CABLE NOT PROVIDED)



G 3/4" M
B: 55°C
B1: 10°C
L=1500



Ø1"1/2 M
L=1500

TECHNICAL DATA

Lavastoviglie a nastro

Flight conveyor dishwashers | Lave-vaisselle à convoyeur

Конвейерные посудомоечные машины

| | | |
|--|--|---|
| <p>Technical drawing of the SL251EEDX dishwasher. The front view shows a width of 4,500 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,300, 3,400, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=4,500.</p> | <p>Technical drawing of the SL251EEDX dishwasher. The front view shows a width of 4,500 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,300, 3,400, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=4,500.</p> | <p>SL251EEDX</p> <ul style="list-style-type: none"> 400V3N+T 28,6kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of the SL251EESX dishwasher. The front view shows a width of 4,500 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,300, 3,400, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=4,500.</p> | <p>Technical drawing of the SL251EESX dishwasher. The front view shows a width of 4,500 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,300, 3,400, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=4,500.</p> | <p>SL251EESX</p> <ul style="list-style-type: none"> 400V3N+T 28,6kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of the SL381EEDX dishwasher. The front view shows a width of 5,100 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,900, 4,000, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=5,100.</p> | <p>Technical drawing of the SL381EEDX dishwasher. The front view shows a width of 5,100 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,900, 4,000, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=5,100.</p> | <p>SL381EEDX</p> <ul style="list-style-type: none"> 400V3N+T 31,25kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of the SL381EESX dishwasher. The front view shows a width of 5,100 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,900, 4,000, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=5,100.</p> | <p>Technical drawing of the SL381EESX dishwasher. The front view shows a width of 5,100 mm and a height of 1,770 mm. The side view shows a depth of 750 mm and a maximum height of 2,060 mm. Dimensions include 1,515, 585, 930, 1,800, 2,100, 2,400, 3,900, 4,000, 400, 475.5, 825, 935, 160, 450, 160, 400, 475.5, 825, P=950, B, B1, and L=5,100.</p> | <p>SL381EESX</p> <ul style="list-style-type: none"> 400V3N+T 31,25kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |

Lavastoviglie a nastro

Flight conveyor dishwashers | Lave-vaisselle à convoyeur

Конвейерные посудомоечные машины





| | |
|--|---|
| <p>Technical drawing of the SL421EEDX dishwasher. The front view shows a unit with a total height of 1,770 mm and a total width of 5,400 mm. The side view shows a depth of 930 mm and a total height of 2,060 mm. Dimensions include: 1,800 mm, 2,100 mm, 2,400 mm, 4,200 mm, 4,300 mm, 1,200 mm, 1,515 mm, 585 mm, 930 mm, 750 mm, 450 mm, 935 mm, 160 mm, 400 mm, 475.5 mm, 825 mm, P=950 mm, B, B1, and Hmax=2,060 mm.</p> | <p>SL421EEDX</p> <ul style="list-style-type: none"> 400V3N+T 35,28kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of the SL421EESX dishwasher. The front view shows a unit with a total height of 1,770 mm and a total width of 5,400 mm. The side view shows a depth of 930 mm and a total height of 2,060 mm. Dimensions include: 1,800 mm, 2,100 mm, 2,400 mm, 4,200 mm, 4,300 mm, 1,200 mm, 1,515 mm, 585 mm, 930 mm, 750 mm, 450 mm, 935 mm, 160 mm, 400 mm, 475.5 mm, 825 mm, P=950 mm, B, B1, and Hmax=2,060 mm.</p> | <p>SL421EESX</p> <ul style="list-style-type: none"> 400V3N+T 35,28kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of the SL541EEDX dishwasher. The front view shows a unit with a total height of 1,770 mm and a total width of 6,000 mm. The side view shows a depth of 930 mm and a total height of 2,060 mm. Dimensions include: 1,800 mm, 2,100 mm, 2,400 mm, 4,800 mm, 4,900 mm, 1,200 mm, 1,515 mm, 585 mm, 930 mm, 750 mm, 450 mm, 935 mm, 160 mm, 400 mm, 475.5 mm, 825 mm, P=950 mm, B, B1, and Hmax=2,060 mm.</p> | <p>SL541EEDX</p> <ul style="list-style-type: none"> 400V3N+T 54,93kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of the SL541EESX dishwasher. The front view shows a unit with a total height of 1,770 mm and a total width of 6,000 mm. The side view shows a depth of 930 mm and a total height of 2,060 mm. Dimensions include: 1,800 mm, 2,100 mm, 2,400 mm, 4,800 mm, 4,900 mm, 1,200 mm, 1,515 mm, 585 mm, 930 mm, 750 mm, 450 mm, 935 mm, 160 mm, 400 mm, 475.5 mm, 825 mm, P=950 mm, B, B1, and Hmax=2,060 mm.</p> | <p>SL541EESX</p> <ul style="list-style-type: none"> 400V3N+T 54,93kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |

TECHNICAL DATA

Linea lavaceste

Tunnel basket washers | Ligne lave-paniers

Тоннельные машины для мойки корзин



BSL231EEDX



400V3N+T 30,00kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



G 1"1/4 M
L=1500

BSL231EESX







400V3N+T 30,00kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



G 1"1/4 M
L=1500



BSL231UPEDX



400V3N+T 30,00kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



G 1"1/4 M
L=1500

BSL231UPESX







400V3N+T 30,00kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



G 1"1/4 M
L=1500



BSL281EEDX



400V3N+T 33,00kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



G 1"1/4 M
L=1500

BSL281EESX



400V3N+T 33,00kW
(CABLE NOT PROVIDED)



G 3/4" M
55°C
L=1500



G 1"1/4 M
L=1500

Linea lavaceste

Tunnel basket washers | Ligne lave-paniers

Тоннельные машины для мойки корзин

| | |
|--|--|
| <p>Front view dimensions: H=1,830, 1,520, 745, 775, 500, 645, 1,655, 2,955, 3,100, 3,600, L=4,100.</p> <p>Side view dimensions: Hmax=2,120, 500, 870, 130, 370, 655, P=760.</p> | <p>BSL401EEDX</p> <ul style="list-style-type: none"> ⚡ 400V3N+T 41,00kW (CABLE NOT PROVIDED) 🔧 G 3/4" M 55°C L=1500 🧺 G 1 1/4 M L=1500 |
| <p>Front view dimensions: Hmax=2,120, 500, 870, 130, 370, 655, P=760.</p> <p>Side view dimensions: H=1,830, 745, 1,520, 775, 500, 645, 1,655, 2,955, 3,100, 3,600, L=4,100.</p> | <p>BSL401EESX</p> <ul style="list-style-type: none"> ⚡ 400V3N+T 41,00kW (CABLE NOT PROVIDED) 🔧 G 3/4" M 55°C L=1500 🧺 G 1 1/4 M L=1500 |
| <p>Front view dimensions: H=1,770, 1,515, 930, 1,800, 2,100, 2,400, 3,700, 3,800, L=4,900.</p> <p>Side view dimensions: Hmax=2,060, 750, 450, 935, 160, 400, 475.5, 825, P=950.</p> | <p>LSL501EEDX</p> <ul style="list-style-type: none"> ⚡ 400V3N+T 32,00kW (CABLE NOT PROVIDED) 🔧 G 3/4" M B: 10°C B1: 55°C L=1500 🧺 Ø40 L=1500 |
| <p>Front view dimensions: Hmax=2,060, 750, 450, 935, 160, 400, 475.5, 825, P=950.</p> <p>Side view dimensions: H=1,770, 585, 1,515, 930, 1,800, 2,100, 2,400, 3,700, 3,800, L=4,900.</p> | <p>LSL501EESX</p> <ul style="list-style-type: none"> ⚡ 400V3N+T 32,00kW (CABLE NOT PROVIDED) 🔧 G 3/4" M B: 10°C B1: 55°C L=1500 🧺 Ø40 L=1500 |

TECHNICAL DATA

Linea lavaceste

Tunnel basket washers | Ligne lave-paniers

Тоннельные машины для мойки корзин

| | |
|---|--|
| <p>Technical drawing of LSL751EEDX showing front and side views with dimensions. Front view dimensions: H=1,770, 1,515, 585, 930, 1,800, 2,100, 2,400, 4,600, 4,700, L=5,800. Side view dimensions: 750, 450, 935, 160, 400, 475.5, 825, P=950, Hmax=2,060.</p> | <p>LSL751EEDX</p> <ul style="list-style-type: none"> 400V3N+T 37,00kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of LSL751EESX showing front and side views with dimensions. Front view dimensions: H=1,770, 1,515, 585, 930, 1,800, 2,100, 2,400, 4,600, 4,700, L=5,800. Side view dimensions: 750, 450, 935, 160, 400, 475.5, 825, P=950, Hmax=2,060.</p> | <p>LSL751EESX</p> <ul style="list-style-type: none"> 400V3N+T 37,00kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of PSL851EEDX showing front and side views with dimensions. Front view dimensions: H=1,770, 1,515, 585, 930, 1,800, 2,100, 2,400, 5,000, 5,100, L=6,200. Side view dimensions: 750, 450, 935, 160, 400, 475.5, 825, P=950, Hmax=2,060.</p> | <p>PSL851EEDX</p> <ul style="list-style-type: none"> 400V3N+T 37,50kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |
| <p>Technical drawing of PSL851EESX showing front and side views with dimensions. Front view dimensions: H=1,770, 1,515, 585, 930, 1,800, 2,100, 2,400, 5,000, 5,100, L=6,200. Side view dimensions: 750, 450, 935, 160, 400, 475.5, 825, P=950, Hmax=2,060.</p> | <p>PSL851EESX</p> <ul style="list-style-type: none"> 400V3N+T 37,50kW (CABLE NOT PROVIDED) G 3/4" M B: 10°C B1: 55°C L=1500 Ø40 L=1500 |

Giranti

Washing arms | Rotors | Моющие рукава



cod. 207 Ø18

Risciacquo superiore, lavaggio e risciacquo inferiore

Upper rinse arms, lower wash and rinse arms

Rinçage supérieur, lavage et rinçage inférieur

Верхние ополаскивающие рукава, нижние моющие и ополаскивающие рукава



cod. 209 Ø18

Lavaggio e risciacquo superiore e inferiore

Upper and lower wash and rinse arms

Lavage et rinçage supérieur et inférieur

Верхние и нижние моющие и ополаскивающие рукава



cod. FLK208 Ø18

Risciacquo superiore, lavaggio e risciacquo inferiore separati

Upper rinsing, separated lower washing and rinsing

Rinçage supérieur, lavage et rinçage inférieur séparés

Верхнее ополаскивание, раздельное нижнее мойка и ополаскивание



cod. FLK209 Ø18

Lavaggio e risciacquo superiore, lavaggio e risciacquo separati inferiori

Upper wash and rinse arms, separated lower wash and rinse arms

Lavage et rinçage supérieur, lavage et rinçage séparés inférieurs

Верхние моющие и ополаскивающие рукава, раздельные нижние моющие и ополаскивающие рукава



cod. 580 Ø18

Lavaggio e risciacquo superiore, lavaggio e risciacquo separati inferiori

Upper wash and rinse arms, separated lower wash and rinse arms

Lavage et rinçage supérieur, lavage et rinçage séparés inférieurs

Верхние моющие и ополаскивающие рукава, Раздельные нижние моющие и ополаскивающие рукава



cod. 840 Ø30

Lavaggio e risciacquo superiore, lavaggio e risciacquo separati inferiori

Upper wash and rinse arms, separated lower wash and rinse arms

Lavage et rinçage supérieur, lavage et rinçage séparés inférieurs

Верхние моющие и ополаскивающие рукава, Раздельные нижние моющие и ополаскивающие рукава



cod. 1100 Ø18

Lavaggio e risciacquo separato inferiore e superiore

Separated upper and lower wash and rinse arms

Lavage et rinçage séparé inférieur et supérieur

Раздельные верхние и нижние моющие и ополаскивающие рукава



cod. 1200 Ø30

Lavaggio e risciacquo separato inferiore e superiore

Separated upper and lower wash and rinse arms

Lavage et rinçage séparé inférieur et supérieur

Раздельные верхние и нижние моющие и ополаскивающие рукава



cod. 951 Ø30

Lavaggio e risciacquo superiore, lavaggio e risciacquo separati inferiori

Upper wash and rinse arms, separated lower wash and rinse arms

Lavage et rinçage supérieur, lavage et rinçage séparés inférieurs

Верхние моющие и ополаскивающие рукава, Раздельные нижние моющие и ополаскивающие рукава



cod. 985 Ø30

Lavaggio e risciacquo separato inferiore e superiore

Separated upper and lower wash and rinse arms

Lavage et rinçage séparé inférieur et supérieur

Раздельные верхние и нижние моющие и ополаскивающие рукава



TRAINO

Lancia di lavaggio fissa per lavastoviglie a cesto trainato

Fixed washing lance for rack conveyor dishwasher

Lance de lavage fixe pour lave-vaisselle à panier avec entraînement

Неподвижный распылитель для посудомоечных машин конвейерного типа

