

ECOLOGY LINE E110E

TYPE	Pass-through dishwasher
LINE	ECOLOGY LINE
BASKET	500x500
SIZE	620x770x1470/1930h



CERTIFIED



ON REQUEST



The dishwashers of the ECOLOGY line ensure maximum performance thanks to the standard Acquatech System which, through an atmospheric boiler and rinse pump, maintains constant temperature and pressure and optimum water consumption. ECOLOGY ensures a sanitising rinse cycle and proves to be the perfect choice for canteens, nursing homes, pastry shops, bakers and butchers where compliance with HACCP rules is essential. For those who seek glass perfection, it is possible to connect a Reverse Osmosis System which purifies water and reduces detergent and rinse-aid consumption, ensuring excellent results and perfect glasses without the need for hand drying.

The E110E hood dishwasher is the right solution for businesses that are faced with washing a variety of dishes, proving capable of washing glasses, plates, medium-sized items and GN 1/1 trays in just 620 mm width, providing a maximum throughput of 60 baskets/hour (1080 dishes/hour). The hood models feature an easily removable basket support for easy cleaning and a rounded moulded tub with integral filters to ensure perfect drainage and absolute hygiene. The 'PUSH TO START' cycle start system ensures less waste by preventing the start of empty washes.

The electronic control allows you to manage various parameters to give you an absolute customisation level and the continuous self-diagnosis allows you to minimise machine downtime, suggesting some operations to be verified. The self-cleaning cycle at the end of the day cleans the wash tank and empties the boiler from the hot water, preventing limestone forming inside. The bodywork is made entirely of AISI 304 steel and has been designed with all components in the front to allow easy technical assistance. Sturdy and reliable dishwashers to best deal with every moment of your day.

EN IEC 63136 COMPLIANT MODEL


View the [performance table](#)

CERTIFIED



ON REQUEST





CERTIFIED



ON REQUEST



DISHWASHERS FEATURES

Dimensions - (mm) L - P - H	620x770x1470/1930h
n° baskets/hour - (+55°C)	max 60
Height glass max	390mm
Ø height plate max	415mm
Height pot max	390mm
LT bread basket	40 (H=390mm)
Trays	GN1/1
Tank heating element - Tank capacity	4,5kW - 37l
Boiler heating element - Boiler capacity	5,4kW - 7,3l
Washing pump	1,34Kw / 1,8 Hp
Total power input / Current	6,74 kW / 16A
Standard input voltage	400V3N - 50Hz
Recommended inlet water temperature	+55°C
Water hardness	7°f - 10°f
Water consumption per cycle (inlet suggested pressure 2 BAR)	2,4 l
Adjustable detergent and rinse-aid dispenser	STANDARD
Acquatech system rinse	STANDARD

STANDARD EQUIPMENT

Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
8 division cutlery insert	1
Integral tank filter	STANDARD

OPTIONAL

Optional 230V/3+T	●
Drain pump kit 32W with Ecoclean	●
Boiler heating element 9kW	●
Stainless steel tank filter	●
Reverse osmosis system	●
Inclined basket for wine glasses dim.500x500x170mm	●
Basket for trays with 4 compartments dim.500x500x200mm	●
Inclined basket for wine glasses dim.500x500x170mm	●
Kit 4 Stainless steel feet 50-70mm	-
Remote control with LCD display	●
"Energy Pro Green" System	●

● Optional Installabile, - Optional not installabile