

## HANDY NORTH AMERICA H54E-A

<b>TYPE</b>	Undercounter warewasher
<b>LINE</b>	HANDY NORTH AMERICA
<b>BASKET</b>	500x500 (20"x20")
<b>SIZE</b>	585x600x815h - 23"W x 24"D x 31¼"H



CERTIFIED



ON REQUEST



**Functions and benefits** without compromise, all with lower running costs and at a very reasonable price.

**Ecoclean:** Water control system for partial clean water refill in every wash cycle.

**Stainless steel:** Adjustable rotation speed rinse arms, integral tank filter, with detergent injector welded to the tank.

**Multi power:** Adapt the power level to your needs. Choose the maximum power for the highest production requirements or reduce consumption with a low power set up.

**LCD controls:** Simple digital control panel with digital temperature display for intuitive and user-friendly operation.

This model is **ETL** certified as it complies with the requirements of **UL Std.921**.


**60 years of experience** with evolving technology has produced the HANDY H54E-A. Thesis offers a professional wash system, designed and created to provide excellent cleaning, hygiene and brightness. The H54E-A is simple to use for heavy duty applications with low maintenance. It's your perfect solution for cleaning and sanitizing dishes, glasses, cups, mugs, cutlery and more. We guarantee an impeccable wash quality, which can meet even the needs of the most sophisticated customers.

**High-quality products** built using durable stainless steel with electromechanical components. The H54E-A is designed for energy savings with lower water and detergent consumption.

#### **Technical features**

- Control panel with LCD display
- EWC System, electronic control with 4 individual programmable cycles
- Built in drain pump with Ecology Care system for partial refilling of clean water in every washing cycle
- Vacuum breaker valve
- Integral stainless steel tank filter + New filtering group for suction and drain
- Racks supplied: 1 dish basket, 1 glass basket, and 2 cutlery trays
- 1-year parts and labour warranty
- Adjustable 3L/hour detergent dispenser
- Adjustable 0.3L/hour rinse-aid dispenser

– 40 racks/hour or approximately 35 racks/hour in accordance with NSF standards



**DISHWASHERS FEATURES**

Dimensions - (mm) L - P - H	585x600x815h - 23"W x 24"D x 31 3/4"H
n° baskets/hour - (+55°C)	Max 40
Height glass max	365mm
Ø height plate max	395mm
Tank heating element - Tank capacity	2,6kW - 26lt (7gal)
Boiler heating element - Boiler capacity	2,5kW - 7,3lt (1.9gal)
Washing pump	0,52kW / 0,7Hp (3/4HP)
Total power input / Current	3,12kW - 16A - 1HP
Standard input voltage	208/220V - 50/60Hz
Recommended inlet water temperature	+55°C (125°F)
Water hardness	7-10 °f
Water consumption per cycle (inlet suggested pressure 2 BAR)	2,0lt
Adjustable detergent and rinse-aid dispenser	ELECTRIC
Built-in drain pump	45W
Packing	680x800x1000h - 0,55 - 69.2kg (153lbs)

**STANDARD EQUIPMENT**

Cutlery insert	2
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	1

**OPTIONAL**

Stainless steel tank filter	standard
Basket for trays with 4 compartments dim.500x500x200mm	●
Inclined basket for wine glasses dim.500x500x170mm	●
Kit 4 Stainless steel feet 50-70mm	●
"SOFT Door" Opening/Closing System	●
Start Cycle "SOFT Start"	●
"DOUBLE Load" double basket support	●

● Optional Installabile, ◻ Optional not installabile